

BRIDGESTONE

Demoversione Europe NV/SA Demoversione Europe NV/SA ST Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H Füll Charles In Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN Liebig- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG- 1 35 lac off Irg v.d.H SEQUENCES IN LIEBIG-

Die Bridgestone Europe NV/SA Niederlassung Deutschland, als Generalvertrieb für BRIDGESTONE Reifen in der Bundesrepublik Deutschland bestätigt mit dieser Serviceinformation, dass Einbauanweisungen und Einschränkungen an die Reifengröße gemäß Kapitel 1, Anh. III, der Richtlinie 97/24/EG sowie deren Rechtsnachfolger 168/2013/EU in Verbindung mit 3/2014/EU Anhang XV eingehalten werden.

Die angegebene Bereifung stimmt mit der Angabe in der Zulassungsbescheinigung Teil 1, der Datenbestätigung, der Übereinstimmungsbescheinigung oder der Fahrzeuggenehmigung überein.

Fahrzeughersteller FG Nummer Hubraum Modell Typ Baujahr Herstellernummer (KBA)							Angaben - Fahrzeug
CUTURE 65000 650 DI 650 V Strom Cupared WC 70 2017 04t00025	Herstellernummer (KBA)	Baujahr	Тур	Modell	Hubraum	FG Nummer	Fahrzeughersteller
50Z0KI 65069 650 DE 650 V-Strotti Gussiau WC 70 Z017 - 64*00035	e4*00035	2017 -	WC 70	DL 650 V-Strom Gussrad	650	65089	SUZUKI

Angaben - Reifen									
Bereifung Vorderrad		Bereifung Hinterrad	Luftdruck	Fußnote					
Größen	Profil	Größen	Profil	Vorne/Hinten	Nummer				
110 / 80 ZR 19 (59W) TL	BT 023 F	150 / 70 ZR 17 (69W) TL	BT 023 R	2,3/2,8	30				
110 / 80 ZR 19 (59W) TL	T 30 F EVO	150 / 70 ZR 17 (69W) TL	T 30 R EVO	2,3/2,8	30				
110 / 80 ZR 19 (59W) TL	T 31 F	150 / 70 ZR 17 (69W) TL	T 31 R	2,3/2,8	30				
110 / 80 ZR 19 (59W) TL	T 32 F	150 / 70 ZR 17 (69W) TL	T 32 R	2,3/2,8	30				
110 / 80 R 19 59V TL	AT 41 F (M+S)	150 / 70 R 17 69V TL	A T 41 R UM* (M+S)	2,3/2,8	40				
110 / 80 R 19 59H TL	TW 101 J	150 / 70 R 17 69H TL	TW152 F	2,3/2,8	40				
110 / 80 R 19 59V TL	A 40 F	150 / 70 R 17 69V TL	A 40 R	2,3/2,8	40				
110 / 80 R 19 59V TL	A 40 F F	150 / 70 R 17 69V TL	A 40 R F	2,3/2,8	40				
110 / 80 R 19 59V TL	A 41 F	150 / 70 R 17 69V TL	A 41 R	2,3/2,8	40				

Fußnote

- (30) Tourensportreifen mischbar
- (40) Enduroreifen mischbar

 $Alle\ o.g.\ Reifen\ ab\ Produktions datum\ 10/98\ besitzen\ eine\ Bauartgenehmigung\ nach\ ECE-R\ 75.$

Die Verwendung der oben aufgelisteten Reifenkombinationen setzt voraus, daß sich das Fahrzeug im unveränderten Originalzustand befindet.

Eine Verpflichtung zur Änderung der Zulassungsbescheinigung Teil 1/ der Zulassungsbescheinigung besteht nicht.

Diese Bescheinigung ist nur gültig mit Unterschrift der Bridgestone Europe NV/SA Niederlassung Deutschland.

Bad Homburg v.d.H., 16.03.2022



Das Original dieser Bescheinigung - in der jeweil neuesten Fassung - ist einzusehen unter: www.bridgestone.de

#Bestellservice

Die originalen Unterlagen bekommen Sie beim Kauf von uns automatisch in der Bestellmail zugesandt.

#Stammkunden

Für eingeloggte Stammkunden stehen die originalen Freigaben auch weiterhin zum downloaden bereit.